

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





62.91

=1947=

LIBRARY  
RECORDED

NOV 20 1946

U. S. Department of Agriculture

## SEEDS NATIVE TO THE PACIFIC NORTHWEST

CARL S. ENGLISH, JR.

8546 - 30th AVENUE N. W.

SEATTLE 7, WASHINGTON,

35¢ per packet; three packets for \$1.00. Postpaid.

<i>Abies amabilis</i>	<i>Pedicularis ornithorhyncha</i>
<i>Abies lasiocarpa</i>	<i>Peltiphyllum peltatum</i>
<i>Acer circinatum</i>	<i>Penstemon amabilis</i>
<i>Achlys triphylla</i>	<i>Penstemon Davidsonii</i>
<i>Allium cernuum</i>	<i>Penstemon diffusus</i>
<i>Anemone Drummondii</i>	<i>Penstemon fruticosus</i>
<i>Anemone occidentalis</i>	<i>Penstemon rupicola</i>
<i>Anemone parviflora</i>	<i>Penstemon Scouleri</i>
<i>Arbutus Menziesii</i>	<i>Penstemon Tolmiei</i>
<i>Arenaria formosa</i>	<i>Petrophytum cinerascens</i>
<i>Asarum caudatum</i>	<i>Phacelia linearis</i>
<i>Aster alpigenus</i>	<i>Phyllodoce empetrifolia</i>
<i>Caltha leptosepala</i>	<i>Phyllodoce glanduliflora</i>
<i>Campanula</i> sp., Stuart Range, Wash.	<i>Picea Engelmannii</i>
<i>Cassiope Mertensiana</i>	<i>Pinus albicaulis</i>
<i>Clematis columbiana</i>	<i>Pinus contorta</i>
<i>Clintonia uniflora</i>	<i>Plectritis congesta</i>
<i>Dicentra formosa</i> (albino)	<i>Polemonium elegans</i>
<i>Dodecatheon Jeffreyi</i>	<i>Polygonum bistortoides</i>
<i>Draba incerta</i>	<i>Potentilla flabellifolia</i>
<i>Draba lonchocarpa</i>	<i>Potentilla villosa</i>
<i>Draba novolympica</i>	<i>Rhinanthus Kyrolae</i>
<i>Draba ruaxes</i>	<i>Ribes lentum</i>
<i>Erigeron aureus</i>	<i>Rhamnus alnifolia</i>
<i>Erigeron Flettii</i>	<i>Salix cascadiensis</i>
<i>Erigeron salsuginosus</i>	<i>Sambucus glauca</i>
<i>Erigeron trifidus</i>	<i>Saxifraga cespitosa</i>
<i>Eriogonum compositum</i>	<i>Saxifraga oppositifolia</i>
<i>Eriogonum sphaerocephalum</i>	<i>Senecio triangularis</i>
<i>Eriogonum umbellatum</i>	<i>Senecio</i> sp., dwarf, fls. gold
<i>Erythronium montanum</i>	<i>Solidago algida</i>
<i>Fritillaria lanceolata</i>	<i>Sedum integrifolium</i>
<i>Garrya Fremontii</i>	<i>Sorbus dumosa</i>
<i>Gaultheria humifusa</i>	<i>Sorbus occidentale</i>
<i>Gaultheria ovatifolia</i>	<i>Synthyris reniformis</i>
<i>Gentiana calycosa</i>	<i>Synthyris stellata</i>
<i>Heuchera glabella</i>	<i>Talinum okanoganense</i>
<i>Heuchera racemosa</i>	<i>Thelypodium laciniatum</i>
<i>Haplopappus Lyallii</i>	<i>Trillium chloropetalum</i>
<i>Iris tenax</i>	<i>Trillium ovatum</i>
<i>Kalmia microphylla</i>	<i>Trollius albiflorus</i>
<i>Larix Lyallii</i>	<i>Tsuga Mertensiana</i>
<i>Ledum columbianum</i>	<i>Vaccinium</i> sp., Stuart Range, Wash.
<i>Leptarrhena amplexifolia</i>	<i>Valeriana sitchensis</i>
<i>Leucothoe Davisiae</i>	<i>Vancouveria hexandra</i>
<i>Linaria canadensis</i>	<i>Veronica Cusickii</i>
<i>Lupinus subalpinus</i>	<i>Digadenus venenosus</i>



